2

USSN: 10/065,747

Amendments to the Claims:

This listing of claims will replace all prior versions, and listing, of claims in the application:

Listing of Claims:

1. A method of collecting minus 20 mesh gold using a sluice including a gold collecting medium, comprising:

using water having a PH range between 4 and 8;

flowing the water over a the gold collecting medium located in asluice, in order to induce a positive surface charge on the gold collecting medium due to the interaction between the water and the gold collecting medium;

feeding minus 20 mesh gold laden material into the sluice with the flowing water to induce a negative surface charge on minus 20 mesh gold particles of the colloidal gold laden material and create a slurry of minus 20 mesh gold laden material and water, whereby the water induces a negative surface charge on the minus 20 mesh gold particles;

setting the flow rate of the slurry into the sluice such that the <u>minus 20</u> mesh gold particles are attracted to the gold collecting medium; and

collecting the minus 20 mesh gold particles from the gold collecting medium that were attracted to gold collecting medium.

2. (cancel)

3. The method of claim 1, wherein the <u>minus 20 mesh</u> gold particles are one-sixteenth of inch or less in size.

8143550658

USSN: 10/065,747

4. The method of claim 1, wherein the gold collecting medium is a plastic material.

3

- 5. The method of claim 1, wherein the gold collecting medium is a vinyl material.
- 6. The method of claim 1, wherein the gold collecting medium includes ribs and grooves between the ribs.
 - 7. The method of claim 6, wherein the gold collecting medium is a vinyl material.
 - 8. The method of claim 6, wherein the gold collecting medium is a plastic material.
 - 9. (cancel)
 - 10. (cancel)
 - 11. (cancel)
 - 12. (cancel)
 - 13. A gold separation device for collecting minus 20 mesh gold particles, comprising:
 - a sluice having an input end and an output end, said input end for receiving water of a PH range between 4 and 8, and said output end for releasing said water;
 - a water input directed into said input end of said sluice; and
 - a gold collecting medium in said sluice between said input end and said output end, said gold collecting medium being of a material which incurs a

4

USSN: 10/065,747

positive surface charge when immersed in water due to the interaction between the water and the gold collecting medium.

- 14. The gold separation device of claim 13, further including a hopper between said water input and at said input end of said sluice.
- 15. The gold separation device of claim 14, further including a gate valve between said hopper and said input end of said sluice to control flow into said sluice.
- 16. The gold separation device of claim 13, wherein said gold collecting medium is plastic.
- 17. The gold separation device of claim 13, wherein said gold collecting medium is vinyl.
- 18. The gold separation device of claim 13, wherein said gold collecting includes ribs and grooves between said ribs.
- 19. The gold separation device of claim 13, further including a hopper <u>between said</u> <u>water input and et said</u> input end of said sluice; and wherein said gold collecting includes ribs and grooves between said ribs.
- 20. The gold separation device of claim 19, wherein said gold collecting medium is vinyl.